Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	119	david luick	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/01/05 09:47
S3	597	(711/169).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 09:51
S8	18	(pipeline\$4 near5 (flag\$4 indicat\$4) near5 (depend\$4 speculat\$4)) and cache\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 10:02
S24	74	(1kb "1 kb" "one kb" "one kilobyte\$2" "1 kilobyte\$2") near5 (buffer\$4 buf\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/06 10:33
S50	25	"one-way cache" and (advantage\$2 benefit\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:52
S56	86	(direct near1 cache\$2) and (full near1 cache\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 12:58
S58	26	(direct near1 cache\$2) same (advantage\$2 benefit\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:13
S61	101	(direct near1 cache\$2) and (fully near1 cache\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:15

S62	75	(direct near1 cache\$2) same (fully near1 cache\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 13:18
S78	48	flag\$4 near5 (attach\$3 add\$3 concatenat\$4) near5 (benefit\$2 advantage\$2 why reason\$2 motivation\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 07:37
S83	44	((flag\$4 near5 (attach\$3)) same (benefit\$2 advantage\$2 why reason\$2 motivation\$2)) and (comput\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 08:18
S90	18	flag\$4 near5 attach\$3 near5 size\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:12
S95	36	flag\$4 near5 (within in) near5 (advantage\$2 benefit\$2 motivation\$2 why reason\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:16
S99	36	flag\$4 near5 (within in) near5 (advantage\$2 benefit\$2 motivation\$2 why reason\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:24
S10 1	20	flag\$4 near5 ("save size" "reduce size")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/10 10:29
S11 5	79	direct near5 cache near5 directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 10:23

S12 4	144	cache near5 without near5 directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 14:15
S12 9	105	cache\$ near2 (without no exclud\$4) near2 (director\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 14:17
S13 0	11	cache\$ near1 (without no exclud\$4) near1 (director\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 14:21
S13 5	118	cache\$2 near2 director\$4 near2 (exclud\$4 without no "not")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/11 14:25